

Water cooler WRC410



Product code:

WRC410

Product description

SPARTUS® WRC410 water cooler is designed for cooling welding torches. It is characterized by high performance and 100% duty cycle. The 10 liter coolant vessel is equipped with a coolant level gauge. It is powered from single phase 230V source power.

SPARTUS® WRC410 water cooler is compatible with most of the branded welding torches, thanks to the use of quick coupler (standard 21) on the inlet and outlet SPARTUS water cooler.

That high quality, maintenance-free unit, guarantees tightness. This is dependable and irreplaceable source of cooling systems.

Technical parameters

Input	~1× 230V ± 10% 50 / 60 Hz
Engine power [W]	370
Pump efficiency [L/min]	3 - 5
Tank capacity [L]	10
Work temperature [°C]	-20 do 60
Coolant pressure [bar]	3
Insulation class	H
Duty cycle [%]	100
Protection class	IP23
Dimensions [mm]	510 x 260 x 380
Weight [kg]	14,2 (empty tank)

PRODUCT CATEGORIES: [WELDING MACHINES](#), [WATER COOLER](#)

NW ® is independent subject and not connected to ABITIG®, AMPHENOL®, ASPA®, BESTER®, BINZEL®, CEA®, CEBORA®, ESAB®, EWM®, FALTIG®, FRO®, FRONIUS®, HARRIS®, HYPERTHERM®, KJELLBERG®, L-TEC®, LINCOLN®, MAGNUM®, OTC®, SAF®, SHERMAN®, TELWIN®, THERMAL DYNAMICS®, TRAFIMET®, TUCHEL®.

Reference numbers and names belonged to above companies were called due to Property Right Law for buyer's convenience and they are related to code and spare part's description.

The products do not constitute an offer within the meaning of the Civil Code.