

**FERROS 3D 2000 x 1000 x 200 [6 table legs with feet L=620]**




**Product code:**

SP28C-20-10-620

**\* the price does not include shipping costs**

Product description

**USE THE SPACE FOR MORE EFFECTIVE WORK OFFERED BY FERROS TABLES!**



EN-GJL-300 CAST IRON

The casting of the top is made of EN-GJL-300 high strength cast iron characterized by high wear resistance.

25mm TABLE TOP

The table top with a thickness of 25 mm guarantees the durability of the table and resistance to mechanical damage.

MILLIMETRIC SCALE

The applied millimeter scale facilitates precise assembly of the element to be processed.

3D SIDE

It allows to expand the working surface and joining the table tops.

D28 SYSTEM

Drilled and chamfered holes 28mm.

**Technical parameters**

<b>Size of the work surface</b>	2000 x 1000 x 200mm
<b>Made</b>	casted
<b>Material</b>	EN-GJL-300 cast iron acc. to EN 1561
<b>Table top thickness [mm]</b>	25
<b>Table horizontal precision [mm]</b>	0.1/1000
<b>Table vertical precision [mm]</b>	0.1/200
<b>Standard</b>	D28 (drilled and milled holes 28mm diameter)
<b>Carrying capacity</b>	2000kg/leg
<b>Type of leg</b>	with feet
<b>Leg length</b>	620mm

<b>Number of legs#welding tables##</b>	6pcs
<b>Overall table height [mm]</b>	860-900mm
<b>Top weight [kg]</b>	720

PRODUCT CATEGORIES: [WELDING TABLES](#)

NW ® is independent subject and not connected to ABITIG®, AMPHENOL®, ASPA®, BESTER®, BINZEL®, CEA®, CEBORA®, ESAB®, EWM®, FALTIG®, FRO®, FRONIUS®, HARRIS®, HYPERTHERM®, KJELLBERG®, L-TEC®, LINCOLN®, MAGNUM®, OTC®, SAF®, SHERMAN®, TELWIN®, THERMAL DYNAMICS®, TRAFIMET®, TUCHEL®.

Reference numbers and names belonged to above companies were called due to Property Right Law for buyer's convenience and they are related to code and spare part's description.

The products do not constitute an offer within the meaning of the Civil Code.