

PT80M Machine torch 6m (1/4")

Product code: 09830

Technical parameters

type of torch Type PT™ Cutting current [A] Gas Air / Duty cycle [%] Operating pressure [bar] Air flow [l/min])
Cutting current [A] 30 - Gas Air / Duty cycle [%] 60 Operating pressure [bar] 4.4 -	
Gas Air / Duty cycle [%] 60 Operating pressure [bar] 4.4 -	80
Duty cycle [%]60Operating pressure [bar]4.4 -	
Operating pressure [bar] 4.4 -	N2
Air flow [I/min]	5
All note [t/imit]	
A way of arc ignition with	out HF
Pilot arc [A]	22
Lenght [m] 6	
Connection 1/4"	
Pilot arc [A] 18 - Lenght [m] 6	

PRODUCT CATEGORIES: PLASMA TORCHES, PLASMA

NW ® is independent subject and not connected to ABITIG®, AMPHENOL®, ASPA®, BESTER®, BINZEL®, CEA®, CEBORA®, ESAB®, EWM®, FALTIG®, FRO®, FRONIUS®, HARRIS®, HYPERTHERM®, KJELLBERG®, LTEC®, LINCOLN®, MAGNUM®, OTC®, SAF®, SHERMAN®, TELWIN®, THERMAL DYNAMICS®, TRAFIMET®, TUCHEL®.

Reference numbers and names belonged to above companies were called due to Property Right Law for buyer's convenience and they are related to code and spare part's description.

The products do not constitute an offer within the meaning of the Civil Code.