

SPARTUS® EasyARC 315



Product code:

EASYARC315-PAK

Package equipped: • device SPARTUS® EasyARC 315, • electrode holder, • work clamp, • user's manual

Product description

POWERFUL AND RELIABLE WELDING INVERTER

SPARTUS® EasyARC 315 uses the most advanced inverter technology. It is powered from a three-phase 400V network.

The welding current is in the range of 20 - 280A. The power source provides a strong, focused, and stable arc. Easy-to-use function panel equipped with a digital display allows for precise adjustment of welding parameters.

New technologies ensure excellent output parameters. The machines have a built-in Arc Force system (with the possibility of smooth adjustment of the arc power). This prevents the electrode from "sticking" to the workpiece when the arc voltage drops too low due to the sharp shortening of the welding arc. The Arc Force function is irreplaceable when welding in particularly difficult areas (e.g. overhead welding), where welding with a very short arc is often required.

Examples of use: industry, structures, renovation works, workshop works.

Technical parameters

Input	~3× 400V ± 10% 50 / 60 Hz
Welding current MMA [A]	20 - 280
Duty cycle MMA [%]	60
No-load voltage [V]	69
Additional features	Arc Force
Current consumption [A]	18
Power factor (cosφ)	0,93
Efficiency η [%]	80
Insulation class	H
Protection class	IP21S
Weight [kg]	11,5
Dimensions [mm]	500 x 225 x 340

PRODUCT CATEGORIES: [MACHINES](#), [MMA](#)

NW ® is independent subject and not connected to ABITIG®, AMPHENOL®, ASPA®, BESTER®, BINZEL®, CEA®, CEBORA®, ESAB®, EWM®, FALTIG®, FRO®, FRONIUS®, HARRIS®, HYPERTHERM®, KJELLBERG®, L-TEC®, LINCOLN®, MAGNUM®, OTC®, SAF®, SHERMAN®, TELWIN®, THERMAL DYNAMICS®, TRAFIMET®, TUCHEL®.

Reference numbers and names belonged to above companies were called due to Property Right Law for buyer's convenience and they are related to code and spare part's description.

The products do not constitute an offer within the meaning of the Civil Code.